





SPECIFICATION OF WIRE MESH CONVEYOR BELTS

Balanced Belt



S. no.	Specifications	No. of Spirals per feet	No. of Cross rods per feet	Spiral wire dia	Cross wire dia
1	B-12-12-10-08	12	12	10 swg	8 swg
2	B-12-12-3x2-10	12	12	Flat Wire of 3x2 mm	10 swg
3	B-18-12-3x2-10	18	12	Flat wire of 3x2 mm	10 swg
4	B-24-19-10-09	24	19	10 swg	9 swg
5	B-24-19-10-10	24	19	10 swg	10 swg
6	B-24-19-12-10	24	19	12 swg	10 swg
7	B-24-18-14-12	24	18	14 swg	12 swg
8	B-30-15-10-10	30	15	10 swg	10 swg
9	B-36-18-3.5x1.5-10	36	18	Flat wire of 3.5 x 1.5 mm	10 swg
10	B-36-20-3x2-10	36	20	Flat wire of 3x2 mm	10 swg
11	B-36-22-12-10	36	22	12 swg	10 swg
12	B-36-20-12-10	36	20	12 swg	10 swg
13	B-36-18-10-10	36	18	10 swg	10 swg
14	B-36-15-10-10	36	15	10 swg	10 swg
15	B-36-24-16-14	36	24	16 swg	14 swg
16	B-36-18-14-12	36	18	14 swg	12 swg
17	B-60-40-2x1.5-14	60	40	Flat wire of 2x1.5 mm	14 swg
18	B-60-40-16-14	60	40	16 swg	14 swg
19	B-60-24-16-14	60	24	16 swg	14 swg
20	B-60-28-18-16	60	28	18 swg	16 swg
21	B-72-24-14-12	72	24	14 swg	12 swg
22	B-72-24-16-14	72	24	16 swg	14 swg

Chain Driven Belt





S. no.	Specifications	Pitch Roller Chain	Pitch Roller Chain
1	B-24-18-10-12	2"	1"
2	B-24-18-12-12	2"	1"
3	B-24-18-14-14	5/8"	1/2"
4	B-36-18-10-12	2"	1"
5	B-36-18-12-12	2"	1"
6	B-36-24-14-16	5/8"	1/2"
7	B-36-28-16-18	5/8"	1/2"
8	B-60-24-16-18	5/8"	1/2"
9	B-60-24-16-18	5/8"	1/2"
10	CB-3-30-72-14-12	2"	1"
11	CB-3-60-100-16x18	5/8"	1/2"

Compound Balanced Belt



S. no.	Specifications	No. of Spirals per feet	No. of Cross Rods per feer	Spiral wire dia	Cross wire dia
1	CB-3-24-55-12-10	24	55	12 swg	10 swg
2	CB-3-24-65-14-12	24	65	14 swg	12 swg
3	CB-3-30-72-14-12	30	72	14 swg	12 swg
4	CB-3-36-76-16-14	36	76	16 swg	14 swg
5	CB-3-36-80-18-16	36	80	18 swg	16 swg
6	CB-3-60-80-18-16	60	80	18 swg	16 swg
7	CB-3-60-100-16-18	60	100	16 swg	18 swg

Gratex Belt



S. no.	Specifications	No. of Spirals per feet	No. of Cross Rods per feer	Spiral wire dia	Cross wire dia
1	G-36-10-10-06	36	10	10 swg	06 swg
2	G-36-15-10-06	36	15	10 swg	06 swg
3	G-42-10-10-06	42	10	10 swg	06 swg
4	G-42-15-10-06	42	15	10 swg	06 swg
5	G-42-18-10-10	42	18	10 swg	10 swg
6	G-42-18-12-10	42	18	12 swg	10 swg
7		60	100		18 swg


Honeycomb Belt

1x1 OPENINGS

1x1 STANDARD DUTY 3/8x0.046 wire, 11 ga rods

1x1 HEAVY DUTY 1/2x0.062 wire, 6 ga rods

1x1 opening available in welded and clinched edge



1/2x1 OPENINGS

1/2x1 STANDARD DUTY 3/8x0.046 wire, 11 ga rods

1/2x1 HEAVY DUTY 1/2x0.062 wire, 6 ga rods

1/2x1 opening available in welded and clinched edge

